



<http://icd.who.int>

International Classification of Diseases 11th Revision

Dr Robert Jakob, WHO HQ Geneva
Unit Lead
Classifications and Terminologies

International Classification of Diseases (ICD)

Health information for 150 years - comparable statistics - interoperability

11 Revisions (last adopted by World Health Assembly in 2019)

70% of the world's health expenditure allocated – 150 countries

60% of the world's deaths reported - 112 countries

Tens of thousands publications relate to ICD

Guidelines are integrated with ICD (e.g. mental health)


ICD-10 translated into 42 languages

ICD-11 --- Innovation

- Legally mandated health data standard* – from January 22
- Internationally agreed data aggregation for health
- Lossless clinical documentation (code all the detail you want)
- Integration of terminology and classification
- Links to other terminologies for other uses
- Integration of WHO terminologies
- Comparable multilingual data collection
- End-to-end digital solution
- Up-to-date scientific knowledge

*WHO Nomenclature Regulations 1967, WHO constitution, World Health Assembly (WHA 72 2019)




The WHO Family of International Classifications (WHO-FIC)



WHO-FIC

Information and Interoperability


Health Records
Surveillance
Death certificates



Diseases, health related conditions

Functioning, Disability

Health interventions (individual and public health)



Population Health

Births
Deaths
Diseases
Disability
Risk factors
Sustainable Development Goals



Clinical

Decision Support
Integration of care
Outcome
Guidelines



Administration

Scheduling
Resources
Billing



Reporting

Cost
Needs
Outcome
Epidemiology
Research

ICD-11 Designed for multiple Uses

Cause of Death

Clinical terms,
records,
surveillance

Functioning
assessment

Primary care

Patient safety

Drug safety

Device safety

Prevention

Casemix,
costing,
resources
(DRG)

Cancer
registration

Injury
research

Research

ICD-11 – more than diagnoses

Traditional Classes and Terminology

Diagnoses

Injuries

Signs

Symptoms

Findings

Reasons for encounter or health status

External causes of illness

Traditional medicine conditions

Functioning assessment – WHO-DAS2

Extension codes - Terminology

Anatomy

Laterality

Infectious agents and AMR

Histopathology (ICD-O)

Chemicals and Medicaments (INN)

Devices



Mechanisms of harm (Safety)

Activities

Places

Objects

ICD-11 – more relevant detail



14000 categories
Separate text index
Separate rule base
Need terminology link
Outdated content

Statistical system used in clinical setting

URI – uniform resource identifier of any entity in ICD-11

grouped into a category;
but **has URI for recording, if desired**

Shoreline



1C5C.11
1C5D.13
1C5.1Y
1C5.1Z

<http://id.who.int/icd/entity/1959883044>
<http://id.who.int/icd/entity/685093552>
<http://id.who.int/icd/entity/1302232870>

Entity has a code
(and a URI)



<http://id.who.int/icd/entity/1104303944>
<http://id.who.int/icd/entity/588527933>
<http://id.who.int/icd/entity/854762584>
<http://id.who.int/icd/entity/1543765035>
<http://id.who.int/icd/entity/682536148>
<http://id.who.int/icd/entity/307264938>
<http://id.who.int/icd/entity/961032639>
<http://id.who.int/icd/entity/1306878274>
<http://id.who.int/icd/entity/804089791>
<http://id.who.int/icd/entity/1040970454>
<http://id.who.int/icd/entity/36782335>
<http://id.who.int/icd/entity/1736084843>
<http://id.who.int/icd/entity/1530937152>
<http://id.who.int/icd/entity/608978790>
<http://id.who.int/icd/entity/1501615629>

<http://id.who.int/icd/entity/1935092859>
<http://id.who.int/icd/entity/1026551291>
<http://id.who.int/icd/entity/751399056>
<http://id.who.int/icd/entity/1563156715>
<http://id.who.int/icd/entity/1596449540>
<http://id.who.int/icd/entity/980168338>
<http://id.who.int/icd/entity/730510331>
<http://id.who.int/icd/entity/1233304838>
<http://id.who.int/icd/entity/1321303663>
<http://id.who.int/icd/entity/2003001085>
<http://id.who.int/icd/entity/304649065>
<http://id.who.int/icd/entity/63835650>
<http://id.who.int/icd/entity/487269828>
<http://id.who.int/icd/entity/1697630330>
<http://id.who.int/icd/entity/1938462328>
<http://id.who.int/icd/entity/2064398473>
<http://id.who.int/icd/entity/1793762788>
<http://id.who.int/icd/entity/262236278>
<http://id.who.int/icd/entity/2085616610>
<http://id.who.int/icd/entity/1920227791>
<http://id.who.int/icd/entity/508032285>
<http://id.who.int/icd/entity/1966578342>
<http://id.who.int/icd/entity/390042715>
<http://id.who.int/icd/entity/419706488>
<http://id.who.int/icd/entity/6555116>
<http://id.who.int/icd/entity/1664016479>
<http://id.who.int/icd/entity/840525023>
<http://id.who.int/icd/entity/1465035083>
<http://id.who.int/icd/entity/1186214944>
<http://id.who.int/icd/entity/1998718899>
<http://id.who.int/icd/entity/1600014919>
<http://id.who.int/icd/entity/1320736556>
<http://id.who.int/icd/entity/965498095>
<http://id.who.int/icd/entity/1127435854>

URI – electronic reporting in electronic health records with more detail than with categories (80000 URI's, 120000 terms - index)

Title & Definition	Classification Properties	Post-coordination	Logical Definitions	Terms	Clinical Description
Manifestation Properties	Causal Properties	Temporal Properties	Severity Properties	Functioning Properties	
Specific Condition Properties	Treatment	Diagnostic Criteria	ICD-10 Notes and Hints	ICD-10 Linearizations	

ICD-11 Truly Digital




Modern ontology

Fully digital

Application Programming Interface

Software applications on all devices and OS

Portable: offline & online



Postcoordination

Add detail to **Malignant neoplasms of nasal cavity**

Specific anatomy (use additional code, if desired)

XA43C9	Nasal cavity
XA53X2	Nasal vestibule
XA8D47	Nasal septum
XA8817	Nasal turbinate
XA7WQ4	Nasal cartilage
XA4CN5	Nasal mucosa
XA6YH7	Connective, subcutaneous and other soft tissues of nasal cavity
XA3HQ4	nasal arch vein
XA1B05	Nostril
XA4S17	Columella
XA9YZ7	Sill of nostril

Histopathology (use additional code, if desired)


Search



ICD-11 Simple Use

Type a diagnostic statement into the Coding Tool

e.g. *cancer of stomach*



Related words... Filter

Word list
 sort : Relatedness/repetition

digestive
 organs
 nodes
 veins
 metastasis
 esophago gastric

Destination Entities
 sort: Matching score

2B72.Z	Malignant neoplasms of stomach, unspecified *	+ [Details]
2B71.Z	Malignant neoplasms of oesophagogastric junction, unspecified	+ [Details]
2B72.Y	Other specified malignant neoplasms of stomach	+ [Details]
2B72.1	Malignant neuroendocrine neoplasm of stomach	+ [Details]
2D8Y	Malignant neoplasm metastasis in other specified digestive system organ	+ [Details]

The Coding Tool will find the best match

Effortless get additional information

ICD-11 Coding Tool Mortality and Morbidity Statistics (MMS) 2020-09 Help

Acute respiratory failure ✕

Special coding for maternal cases

Guessing the word being typed... Filter

Word list Destination Entities

sort: Relatedness/repetition sort: Matching score

CB41.0Z Acute respiratory failure, unspecified * J + ✕

Matching Terms

- Acute respiratory failure**
- ARF - [**acute respiratory failure**]


Related categories in maternal chapter J

Diseases of the respiratory system complicating pregnancy, childbirth or the puerperium / Acute respiratory failure, unspecified (JB64.5/CB41.0Z)

Postcoordination +

* **Mandatory postcoordination:** [click here to open the browser](#)

or chronic J + [Details]


 

 World Health Organization

ICD-11 keeping clinical detail

“Other specified”: not satisfactory

Choose the specific term „spigelian hernia“ for the record



The screenshot shows a search interface for ICD-11. At the top, a search bar contains the text "spigelian" with a red 'X' icon to its right. Below the search bar, a blue-bordered box highlights the search results: "DD5Y Other specified hernias", "URI: http://id.who.int/icd/entity/1999215191", and "Spigelian Hernia".

Below the search bar, there are two main sections: "Related words..." and "Destination Entities".

Related words...

Word list
sort :
Relatedness/repetition

- hernia
- gangrene
- obstruction
- without

Destination Entities

sort: Matching score

DD5Y Other specified hernias (J + 01F 5D6 X)

Matching Terms

- Spigelian hernia
- Spigelian hernia with gangrene
- Spigelian hernia with obstruction, without gangrene
- Spigelian hernia without obstruction or gangrene


Related categories in maternal chapter (J)

Diseases of the digestive system complicating pregnancy, childbirth or the puerperium /
Other specified hernias (JB64.6/DD5Y)


Postcoordination (+)

Postcoordination is available: [click here to open the browser](#) (01F 5D6)

DD5Y Spigelian Hernia



ICD-11 - statistical core (26 chapters)



ICD-11 Coding scheme

The chapter numbering:

- Arabic numbers (not roman numerals) 1 - X

The coding scheme for categories:

- Minimum 4 characters 1A00
- 2 levels of subcategories 1A36.00

Coding scheme

- always letter in second position (distinction codes of ICD-10)
- No letter O: avoid confusion with number “zero”
- Only capital L: avoid confusion with number “one”
- First character relates to the chapter number (1-X)
- Residual « other » and « unspecified » code end with « X » and « Z » respectively

Special coding scheme for blocks:

«Level of Block» + «code of first category»: e.g. BlockL2-1A0

Chapter 01 – Certain infectious diseases

Allow reporting of main infection syndromes without mention of a specific agent or when public health concern

Influenza, moved into Chapter 1

Prion diseases moved into Nervous system.

Antimicrobial resistance (GLASS*) is found in Ch. 21 but is to be used in combination with the infectious disease.

HIV Stages

New definition of Sepsis

*Global Antimicrobial Resistance Surveillance System

Coding options for tuberculosis

- 1B10 Tuberculosis of the respiratory system
- 1B11 Tuberculosis of the nervous system
- 1B12 Tuberculosis of other systems and organs
- 1B13 Miliary tuberculosis
- 1B14 Latent tuberculosis
- 1B1Y Other specified tuberculosis
- 1B1Z Tuberculosis, unspecified

Add detail to Tuberculosis of the respiratory system

- MG52.0 Antibiotic resistant Mycobacterium
 - MG52.00 Multi-drug resistant Mycobacterium tuberculosis
 - MG52.01 Antibiotic resistant non-tuberculous Mycobacterium
 - MG52.02 Extensively drug-resistant mycobacterium tuberculosis
 - MG52.0Y Other specified antibiotic resistant Mycobacterium
 - MG52.0Z Antibiotic resistant Mycobacterium, unspecified


Chapter 02 – Neoplasms

Histopathology has been added

Basalioma

Subtypes of Melanoma

The concepts of unknown and uncertain behavior have been split into two unique categories




Chapter 02 – Neoplasms

Generally, the hierarchy :

Behaviour;

Broad sites or systems;

the specific site or morphological (histology) type



Three exceptions to this hierarchy:

1. Neoplasms of brain and central nervous system 1st level is broad sites
2. Neoplasms of haematopoietic and lymphoid tissues where 1st level is broad morphological (histology) type
3. Malignant mesenchymal neoplasms where 1st level is specific morphological (histology) type

Chapter 04 – Diseases of the immune system

This new chapter (previously part of Chapter III in ICD-10) has the following sections:

- Immunodeficiencies


- Non-organ specific systemic disorders (NOSSAD)

- Autoinflammatory disorders

- Allergic or hypersensitivity conditions (+anaphylaxis)

- Certain diseases involving the immune system

- Diseases of thymus



Chapter 06 –Mental, behavioural or neurodevelopmental disorders

New structures

Alignment with DSM V

Gaming disorder

Gender incongruence moved into chapter 17




Chapter 08 – Diseases of the nervous system

More clinical restructuring

More clinical detail

Received prion disease

Received cerebrovascular diseases



Coding options for “stroke”

8B11.0 Cerebral ischaemic stroke due to extracranial large artery atherosclerosis

8B11.1 Cerebral ischaemic stroke due to intracranial large artery atherosclerosis

8B11.2 Cerebral ischaemic stroke due to embolic occlusion

8B11.20 Cerebral ischaemic stroke due to cardiac embolism

Laterality (use additional code, if desired)

- XK9J Bilateral
- XK8G Left
- XK9K Right
- XK70 Unilateral, unspecified

Specific anatomy (use additional code, if desired)

- XA13S2 Cerebral artery
- XA1VB0 Anterior cerebral artery
- XA2K99 Basilar artery
- XA3185 Pontine branches of the basilar artery
- ...

Has manifestation (use additional code, if desired)

- ...

Use the coding tool

✕
 stroke left anterior cerebral artery

Guessing the word being typed...
Selected: 8B11.5Z&XK8G&XA1VB0
Filter

Word list

sort :

artery

Destination Entities

sort:


8B11.5Z&... Cerebral ischaemic stroke , unspecified [Left] [Anterior cerebral artery]	<input type="button" value="J"/> <input type="button" value="≡"/> <input type="button" value="+"/> [Details]
8B11.20&... Cerebral ischaemic stroke due to cardiac embolism [Left] [Anterior cerebral artery]	<input type="button" value="J"/> <input type="button" value="≡"/> <input type="button" value="+"/> [Details]
8B11.22&... Cerebral ischaemic stroke due to paradoxical embolism [Left] [Anterior cerebral artery]	<input type="button" value="J"/> <input type="button" value="≡"/> <input type="button" value="+"/> [Details]

09 – Diseases of the visual system

More clinical detail

Reorganized

Added findings, injuries and tumours in other chapters



Chapter 11 - Diseases of the circulatory system

Heart valve disease no longer dominated by rheumatic fever (now: valve-vitium-etiology)

New distinct higher level categories


Diseases of the myocardium, including extensive subsections on Myocarditis and Cardiomyopathy.

Cardiac arrhythmia, including a large new subsection on 'Cardiac arrhythmia associated with genetic disorder' and 'Pacemaker or implantable cardioverter or defibrillator or lead dysfunction'

New subsection on Pulmonary Hypertension in the Pulmonary heart disease and diseases of pulmonary circulation section

Myocardial infarction: STEMI --- Non-STEMI

Severity: e.g. Peripheral Artery Disease: Rutherford or Fontaine




Chapter 12 – Diseases of the respiratory system

Specific Infectious lung diseases have been moved to Chapter 01 to better reflect the infectious nature of these conditions.

Developmental respiratory diseases are now located in Chapter 20 Developmental anomalies.

Cystic fibrosis has been moved to Certain lower respiratory tract diseases and multi-parented to metabolic disorders in the Endocrine chapter




Chapter 13 – Diseases of the digestive system

More detailed anatomical groups - rostral-caudal order

More recent clinical detail

Important digestive diseases have been allocated their own category (e.g. gastro-oesophageal reflux disease)



Chapter 14 – Diseases of the skin


The general hierarchy of Chapter 14 consists of the following:

1st level Broad category of disease/disorder type

2nd level - Specific disease/disorder type with some anatomical site

3rd level - - Further specificity of disease/disorder type

Major changes have been made to this chapter adding detail coming from the fusion of the American, British and German dermatological terminologies (last update was made in 1948)



Chapter 16 – Diseases of the genitourinary system

To reflect the current scientific understanding for certain genitourinary conditions, additional detail has been included for the following areas:

Amenorrhea

Ovarian dysfunction

Female pelvic pain

Endometriosis

Adenomyosis


Female infertility

Male infertility

Early pregnancy loss

Pregnancy outcomes

The Kidney failure section of the classification has been revised (KDIGO)



Chapter 17 – Conditions related to sexual health

New chapter in ICD-11 divided into major sections for:

- Sexual dysfunctions

- Sexual pain disorders

- Gender incongruence

The general hierarchy consists of:

- 1st level broad category of condition


- 2nd level - specific type of condition

- 3rd level - - specific disease/disorder

Chapter 18 – Pregnancy, childbirth or the puerperium

Additional specifications have been included for “Early pregnancy loss”.

A new section Obstetric haemorrhage has been added to enable all types of haemorrhage to be grouped together



Chapter 20 – Developmental anomalies

Chapter 20 has undergone a major restructure with it now having four major sections

1. Structural developmental anomalies primarily affecting one body system
2. Multiple developmental anomalies or syndromes
3. Chromosomal anomalies, excluding gene mutations
4. Conditions with disorders of intellectual development as a relevant clinical feature



Chapter 23 – External causes of morbidity or mortality

Removed detail (not usually reported)

Can be added with code combination with extension codes

Aligned detail between “intents”

Land transport accidents high level now traffic – nontraffic

Causes of healthcare related harm

Completely overhauled for modern reporting of harm or near failure



Code complications

- ▶ **PL11** Mode of injury or harm associated with a surgical or other medical procedure
- ▶ **PL12** Mode of injury or harm associated with a surgical or other medical device, implant or graft
- ▶ **PL13** Mode of injury or harm associated with exposure to a drug, medicament or biological substance

- ▼ **XE7JV** Osseointegration problem
 - XE94Z** Failure to osseointegrate
 - XE0Z9** Loss of osseointegration
 - XE2K9** Loosening of implant not related to bone-ingrowth
- ▶ **XE0VD** Migration or expulsion of device
- ▶ **XE7Q8** Manufacturing, packaging or shipping problem

- ▼ **PK99** Orthopaedic devices, implants or grafts associated with injury or harm
 - PK99.0** Orthopaedic devices associated with injury or harm, diagnostic or monitoring devices
 - PK99.1** Orthopaedic devices associated with injury or harm, therapeutic, nonsurgical or rehabilitative devices
 - PK99.2** Orthopaedic devices associated with injury or harm, prosthetic or other implants, materials or accessory devices

Changes with impact – at code or grouping level

Disease group		
Influenza	=>	Infectious diseases
Specified meningitis	=>	Infectious diseases
Specified pneumonia	=>	Infectious diseases
Acute rheumatic fever	=>	Infectious diseases
Cerebrovascular diseases	=>	Nervous system
Several chapters' signs and symptoms (<i>e.g. pain in joint, cardiac arrest, hemiplegia</i>)	=>	Signs and symptoms
Brain tumours and tumours of the haematopoietic system		Reporting all, not just malignant ones

No change compared to ICD-10

Conditions included in following chapters have not been subjected to moved:

- Maternal
- Perinatal
- Injury
- Tumour

Mortality coding rules have kept their intent

A Patient's Path

Person worried, feels increasingly sick; some infection is circulating

ICD-11 Code the worry of the patient

Data inform planning of prevention

Practitioner identifies febrile viral infection

ICD-11 Code reason for encounter - infection

Data inform resource planning and epidemiology

Severity increases and referral to secondary care, intensive care, COVID-19 identified

ICD-11 Code reason for stay – COVID-19

ICHI Code therapies

Data inform resource planning, DRG, service availability and epidemiology

Family members are checked for contagion

ICD-11 COVID-19 excluded

ICHI Code diagnostic test

Data inform epidemiology, coding, service availability

A near incident occurs at the intensive care unit (failure infusion pump)

ICD-11 Code failure pump, no harm to patient

Data inform patient safety and quality monitoring, device safety monitoring, costing

Recovery requires physiotherapy

ICD-11 Code and assess functioning score

ICF Code specific functioning

ICHI Code physiotherapy


Data inform costing, DRG, service availability, resource planning, impact of services

Fitness has improved and the person is back to work

Participation

ICD empowers patients, care workers, clinicians, public health
to participate in the design of the system
that improves care and improves use of resources.

ICD-11 maintenance is a transparent public process



Mandatory coding

The use of combination codes you use depends on your national setting and legislation

Mandatory use are chapters 1-25; minimum detail 4-character categories

Optional use

- Traditional medicine
- Functioning assessment
- Extension codes

Mandatory rules for coding are specified in the reference guide (online)

Suggestions for improvement: Proposal mechanism

Questions: icd@who.int

Terms

ICD is a Global Good, by WHO for Countries

ICD is a legally mandated standard

Creative Commons Attribution-NoDerivs 3.0 IGO license (CC BY-ND 3.0 IGO)

Translations are coordinated by Ministries of Health

Translations are subject to the same terms of use as the versions published by WHO

ICD-11 Multilingual

 Select languages
 

ICD-11 for Mortality and Morbidity Statistics (Version : 09/2020)

 Search

[Advanced Search]

[Browse](#)
[Coding Tool](#)
[Special Views](#)
[Info](#)

EN

Disorders

- ▶ 07 Sleep-wake disorders
- ▶ 08 Diseases of the nervous system
- ▶ 09 Diseases of the visual system
- ▶ 10 Diseases of the ear or mastoid process
- ▼ 11 Diseases of the circulatory system
 - ▼ Hypertensive diseases
 - ▶ **BA00 Essential hypertension**
 - ▶ BA01 Hypertensive heart disease
 - ▶ BA02 Hypertensive renal disease
 - ▶ BA03 Hypertensive crisis
 - ▶ BA04 Secondary hypertension
 - ▶ KB45 Neonatal hypertension
 - ▶ Hypotension
 - ▶ Ischaemic heart diseases
 - ▶ Diseases of coronary artery
 - ▶ Pulmonary heart disease or diseases of pulmonary circulation
 - ▶ Pericarditis
 - ▶ Acute or subacute endocarditis
 - ▶ Heart valve diseases
 - ▶ BC20 Chronic rheumatic heart diseases, not

 Foundation URI : <http://id.who.int/icd/entity/761947693>

BA00 Essential hypertension

Parent

[Hypertensive diseases](#)

Show all ancestors

Description

Essential (primary) hypertension, accounting for 95% of all cases of hypertension, is defined as high blood pressure for which a secondary cause cannot be found.

Inclusions

- high blood pressure

Exclusions

- Cerebrovascular diseases ([8B00-8B2Z](#))
- Background retinopathy and retinal vascular changes ([9B78.1](#))

Coded Elsewhere

- Pre-existing essential hypertension complicating pregnancy, childbirth or the puerperium ([JA20.0](#))

 Foundation URI : <http://id.who.int/icd/entity/761947693>

BA00 ارتفاع ضغط الدم الأساسي

عنصر أصلي

أمراض فرط ضغط الدم

إظهار جميع العناصر الأصلية الأعلى

وصف

فرط ضغط الدم الأساسي (الأولي) هو المسؤول عن 95% من جميع حالات فرط الضغط، وتعرفه أنه ارتفاع ضغط الدم لم يمكن معرفة سبب ثانوي له.

المُشمَلات

- ضغط دم مرتفع

المُستبَعات

- أمراض دماغية وعائية ([8B00-8B2Z](#))
- اعتلال الشبكية الخلفية وتغيرات وعائية في الشبكية ([9B78.1](#))

تم ترميزه في مكان آخر

- فرط ضغط الدم الأساسي السابق للحمل والذي يسبب مضاعفات للحمل أو الولادة أو النفاس ([JA20.0](#))

Tools for Users

Coding

API- Integration
with IT

Training

Guides for
implementation
and use

Mappings to ICD-
10

Causes of death

Casemix
(development
started)

ANACOD 3 –
quality assessment
of cause of death
statistics

Software assisted
selection cause of
death (testing
prototype)

Proposals

Translation

ICD-11

International Classification of Diseases 11th Revision

The global standard for diagnostic health information

Select languages

Use ICD-11

[ICD-11 Browser](#)

for seeing the content

[ICD-11 Coding Tool](#)

for coding with ICD-11

[ICD-API](#)

web services to get

programmatic access to ICD-11

[ICD-11 Implementation or Transition Guide](#)

Learn More

[ICD Home Page](#)

[ICD-11 Reference Guide](#)

[ICD-11 Fact Sheet](#)

[ICD Video](#)

[Older versions](#)

[ICD-10 Browser](#)

Be Involved

Our [maintenance platform](#)

provides various ways to

contribute


[Comments](#)

[Proposals](#)

[Translations](#)



Information and files online : <http://icd.who.int>



The screenshot shows the top navigation bar of the ICD-11 website with tabs for 'Browse', 'Coding Tool', 'Special Views', and 'Info'. A red arrow points to the 'Info' tab, which has opened a dropdown menu. The menu items are: 'User Guide', 'Print Versions', 'ICD-11 Reference Guide', 'Spreadsheet File', 'ICD-10 / ICD-11 mapping Tables', 'ICD-11 Maintenance, Contributions, Proposals', 'ICD Home Page', and 'Earlier releases and Update history'. The background of the page shows a snippet of text about 'causes of morbidity or mortality' and 'Injuries are caused by...'

Access information and different files





ICD-11

A Global Good

Mandated by international regulations

Improved and refined by

Global contributions and feedback

For comparable data, reliable easy use and interoperability

<https://icd.who.int>