



Sources of Occupational Health Data

- Compensation systems
- Labour Force Surveys
- Industry/Employer surveys
- Mandatory reporting
- Cancer registries
- Administrative data
- Voluntary Surveillance systems



Occupational disease is like a Swiss mountain




Ingiro, CC BY 3.0 via Wikimedia Commons



Recognition and reporting:

"The three peaks of occupational disease"



How can ICD-11 help?

Coding Flexibility

- Pre-coordination of diseases and their codes as occupational
- Post-coordination of diseases as occupational +/- causal agent

E.g. Occupational allergic asthma ICD-11 Code: CA23.0/QD84

Coding Note

When a specified harmful effect of a substance or substances is known, code to the specific condition.

CA23.0 Allergic asthma

Parent

CA23 Asthma

Show all ancestors (\$)


Description

Allergic asthma is the most easily recognised asthma phenotype, which often commences in childhood and is associated with a past and/or family history of allergic disease such as eczema, allergic rhinitis, or food or drug allergy. Examination of the induced sputum of these patients before treatment often reveals eosinophilic airway inflammation. The main trigger is the exposure to inhaled allergens, such as dust mite and pollens, to which the affected individual has previously been sensitized. Patients with this asthma phenotype usually respond well to inhaled corticosteroid (ICS) treatment and specific allergen-immunotherapy.

	Code: CA23.0/QD84
? t:	
	€\$




Example: ILO 1.1.25 Diseases caused by Thallium or its compounds



Potential for linkage








ICD-11 International Classification of Diseases 11th Revision

The global standard for diagnostic health information https://icd.who.int/en





Questions/Discussion



Thank You.

