



WORLD HEALTH ORGANIZATION

Update Reference Committee

30 November 2000

OFFICIAL UPDATES TO ICD-10

The following pages include the official changes to the tabular list, instruction manual and alphabetical index of ICD-10. These changes were approved, in principle, at the Heads of Centres meeting in Paris in October 1998 and ratified at the Heads of Centres meetings in Brazil, October 2000. The source for each change is indicated, as is the implementation date.

Relevant changes in other language versions of ICD-10 and in related tools will also have to be made and disseminated by the appropriate authority.

(Note: Every effort has been made in the following pages to reproduce the content of the ICD-10 in the same format as the published volumes. Page references have not been used in all instances since these do not apply to electronic versions of the Classification. Additions/changes have been indicated through the use of instructions, underline and ~~strikeout~~).

This document is not issued to the general public, and all rights are reserved by the World Health Organization (WHO). The document may not be reviewed, abstracted, quoted, reproduced or translated, in part or in whole, without the prior written permission of WHO. No part of this document may be stored in a retrieval system or transmitted in any form or by any means – electronic, mechanical or other – without the prior written permission of WHO.

Volume 1

TABULAR LIST

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add exclusion note	E84.1 Cystic fibrosis with intestinal manifestations Meconium ileus † (P75*) <u>Excludes: meconium obstruction in cases where cystic fibrosis is known not to be present (P76.0)</u>	Australia	October 1998		January 2000
Add exclusion note	L90.0 Lichen sclerosus et atrophicus <u>Excludes: lichen sclerosus of external genital organs:</u> <u>.female (N90.4)</u> <u>.male (N48.0)</u>	NORDIC	October 1998		January 2000
Add inclusion term	N48.0 Leukoplakia of penis <u>Balanitis xerotica obliterans</u> Kraurosis of penis	NORDIC	October 1998		January 2000
Modify title Add inclusion term	N48.6 Induratio penis plastica <u>Peyronie's disease</u> Plastic induration of penis	NORDIC	October 1998		January 2000
Add inclusion term	Q93.5 Other deletions of part of a chromosome <u>Angelman syndrome</u>	France	October 1998		January 2000

Volume 3

ALPHABETIC INDEX

Instruction	Alphabetic index entries	Source	Date approved	Major/ Minor update	Implementation date
Add lead term and code	<u>Angelman syndrome</u> Q93.5	France	October 1998		January 2000
Revise code	Balanitis (circinata) (erosiva) (gangrenosa) (infectional) (nongonococcal) (phagedenic) (vulgaris) - xerotica obliterans <u>N48.0</u>	NORDIC	October 1998		January 2000
Delete and add modifiers	Cystocele (rectocele) (-urethrocele)	Australia	October 1998		January 2000
Revise indentation level	Derangement - knee NEC - - current injury -- specified NEC M23.8	Australia	October 1998		January 2000
Add lead term and code	<u>Happy puppet syndrome</u> Q93.5	France	October 1998		January 2000
Revise code Revise subterm and code	Neuropathy, neuropathic G62.9 - diabetic (<i>see also</i> E10-E14 with fourth character .4) E14.4† <u>G63.2*</u> - - <u>mononeuropathy</u> E14.4† <u>G59.0*</u>	Australia	October 1998		January 2000

Table of Drugs and Chemicals

Instruction	Alphabetic index entries						Source	Date approved	Major/Minor update	Implementation date
Add term Add term Add term & codes Add term & codes	Agonist - predominantly - - α -adrenoreceptor - - β -adrenoreceptor	<u>T44.4</u> <u>T44.5</u>	<u>X43.-</u> <u>X43.-</u>	<u>X63.-</u> <u>X63.-</u>	<u>Y13.-</u> <u>Y13.-</u>	<u>Y51.4</u> <u>Y51.5</u>	Australia	October 1998		January 2000
Add term and codes	Aminoglycoside	<u>T36.5</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y40.5</u>	Australia	October 1998		January 2000
Add term & codes	Analgesic NEC - nonopioid	<u>T39.9</u>	<u>X40.-</u>	<u>X60.-</u>	<u>Y10.-</u>	<u>Y45.9</u>	Australia	October 1998		January 2000
Add term & codes	Anesthetic NEC (see also Anesthesia) - inhaled	<u>T41.0</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y48.0</u>	Australia	October 1998		January 2000
Add term & codes Add term & codes	Antagonist - α -adrenoreceptor NEC - β -adrenoreceptor NEC	<u>T44.6</u> <u>T44.7</u>	<u>X43.-</u> <u>X43.-</u>	<u>X63.-</u> <u>X63.-</u>	<u>Y13.-</u> <u>Y13.-</u>	<u>Y51.6</u> <u>Y51.7</u>	Australia	October 1998		January 2000
Add term & codes	Antiandrogen NEC	<u>T38.6</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y42.6</u>	Australia	October 1998		January 2000
Add term & codes	Antidepressant NEC - monoamine-oxidase-inhibitor	<u>T43.1</u>	<u>X41.-</u>	<u>X61.-</u>	<u>Y11.-</u>	<u>Y49.1</u>	Australia	October 1998		January 2000
Add term & codes	Antidysrhythmic NEC	<u>T46.2</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y52.2</u>	Australia	October 1998		January 2000
Add term & codes Add term & codes Add term & codes	Antiepileptic - mixed NEC - specified NEC	<u>T42.7</u> <u>T42.5</u> <u>T42.6</u>	<u>X41.-</u> <u>X41.-</u> <u>X41.-</u>	<u>X61.-</u> <u>X61.-</u> <u>X61.-</u>	<u>Y11.-</u> <u>Y11.-</u> <u>Y11.-</u>	<u>Y46.6</u> <u>Y46.6</u> <u>Y46.6</u>	Australia	October 1998		January 2000
Add term & codes	Antiestrogen NEC	<u>T38.6</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y42.6</u>	Australia	October 1998		January 2000

Add term & codes	<u>Antigonadotrophin NEC</u>	<u>T38.6</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y42.6</u>	Australia	October 1998		January 2000
Add term & codes	<u>Antihyperlipidemic drug</u>	<u>T46.6</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y52.6</u>	Australia	October 1998		January 2000
Delete term & revise codes	<u>Anti-inflammatory drug, local, NEC</u>	<u>T39.3</u>	<u>X40.-</u>	<u>X60.-</u>	<u>Y10.-</u>	<u>Y45.9</u>	Australia	October 1998		January 2000
Add term & codes	<u>- local</u>	<u>T49.0</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y56.0</u>				
Add term & codes	<u>- nonsteroidal NEC</u>	<u>T39.3</u>	<u>X40.-</u>	<u>X60.-</u>	<u>Y10.-</u>	<u>Y45.3</u>				
Add term & codes	<u>- specified NEC</u>	<u>T39.3</u>	<u>X40.-</u>	<u>X60.-</u>	<u>Y10.-</u>	<u>Y45.8</u>				
Revise term & codes	<u>Antiparasitic drug, local (systemic)</u>	<u>T37.9</u>				<u>Y41.9</u>	Australia	October 1998		January 2000
Add term & codes	<u>- local</u>	<u>T49.0</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y56.0</u>				
Add term & codes	<u>- specified NEC</u>	<u>T37.8</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y41.8</u>				
Add term & codes	<u>Antipsychotic drug NEC</u> <u>- phenothiazine</u>	<u>T43.3</u>	<u>X41.-</u>	<u>X61.-</u>	<u>Y11.-</u>	<u>Y49.3</u>	Australia	October 1998		January 2000
Add term & codes	<u>Benzothiadiazide</u>	<u>T50.2</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y54.3</u>	Australia	October 1998		January 2000
Add term & codes	<u>Blockers, calcium-channel</u>	<u>T46.1</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y52.1</u>	Australia	October 1998		January 2000
Add term & codes	<u>Congenor, anabolic</u>	<u>T38.7</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y42.7</u>	Australia	October 1998		January 2000
Delete term & codes	<u>Depressant, appetite</u>	<u>T50.5</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y57.0</u>	Australia	October 1998		January 2000
Add term & codes	<u>- appetite</u>	<u>T50.5</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y57.0</u>				
Add term & codes	<u>- muscle tone, central, NEC</u>	<u>T42.8</u>	<u>X41.-</u>	<u>X61.-</u>	<u>Y11.-</u>	<u>Y46.8</u>				
Add term & codes	<u>Diuretic NEC</u> <u>- loop [high-ceiling]</u>	<u>T50.1</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y54.4</u>	Australia	October 1998		January 2000
Add term & codes	<u>Gas</u> <u>- therapeutic</u>	<u>T41.5</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y48.5</u>	Australia	October 1998		January 2000
Add term & codes	<u>Glucocorticoid</u>	<u>T38.0</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y42.0</u>	Australia	October 1998		January 2000
Add term & codes	<u>Glycoside, cardiac-stimulant</u>	<u>T46.0</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y52.0</u>	Australia	October 1998		January 2000

Add term & codes Add term & codes	<u>Hematological agent</u> <u>- specified NEC</u>	<u>T45.9</u> <u>T45.8</u>	<u>X44.-</u> <u>X44.-</u>	<u>X64.-</u> <u>X64.-</u>	<u>Y14.-</u> <u>Y14.-</u>	<u>Y44.9</u> <u>Y44.9</u>	Australia	October 1998		January 2000
Add term & codes	<u>Iminostilbene</u>	<u>T42.1</u>	<u>X41.-</u>	<u>X61.-</u>	<u>Y11.-</u>	<u>Y46.4</u>	Australia	October 1998		January 2000
Add term & codes Add term & codes	<u>Immunological agent</u> <u>- specified NEC</u>	<u>T50.9</u> <u>T50.9</u>	<u>X44.-</u> <u>X44.-</u>	<u>X64.-</u> <u>X64.-</u>	<u>Y14.-</u> <u>Y14.-</u>	<u>Y59.9</u> <u>Y59.8</u>	Australia	October 1998		January 2000
Add term & codes Add term & codes	<u>Inhibitor</u> <u>- angio-tensin-converting enzyme</u> <u>- carbonic-anhydrase</u>	<u>T46.4</u> <u>T50.2</u>	<u>X44.-</u> <u>X44.-</u>	<u>X64.-</u> <u>X64.-</u>	<u>Y14.-</u> <u>Y14.-</u>	<u>Y52.4</u> <u>Y54.2</u>	Australia	October 1998		January 2000
Add term & codes Add term & codes Add term & codes	<u>Laxative NEC</u> <u>- osmotic</u> <u>- saline</u> <u>- stimulant</u>	<u>T47.3</u> <u>T47.3</u> <u>T47.2</u>	<u>X44.-</u> <u>X44.-</u> <u>X44.-</u>	<u>X64.-</u> <u>X64.-</u> <u>X64.-</u>	<u>Y14.-</u> <u>Y14.-</u> <u>Y14.-</u>	<u>Y53.3</u> <u>Y53.3</u> <u>Y53.2</u>	Australia	October 1998		January 2000
Add term & codes Add term & codes	<u>Narcotic NEC</u> <u>- synthetic NEC</u>	<u>T40.6</u> <u>T40.4</u>	<u>X42.-</u> <u>X42.-</u>	<u>X62.-</u> <u>X62.-</u>	<u>Y12.-</u> <u>Y12.-</u>	<u>Y45.0</u> <u>Y45.0</u>	Australia	October 1998		January 2000
Add term & codes Add term & codes Add term & codes	<u>Neuroleptic drug NEC</u> <u>- butyrophenone</u> <u>- phenothiazine</u> <u>- thioxanthene</u>	<u>T43.4</u> <u>T43.3</u> <u>T43.4</u>	<u>X41.-</u> <u>X41.-</u> <u>X41.-</u>	<u>X61.-</u> <u>X61.-</u> <u>X61.-</u>	<u>Y11.-</u> <u>Y11.-</u> <u>Y11.-</u>	<u>Y49.4</u> <u>Y49.3</u> <u>Y49.4</u>	Australia	October 1998		January 2000
Add term & codes	<u>NSAID NEC</u>	<u>T39.3</u>	<u>X40.-</u>	<u>X60.-</u>	<u>Y10.-</u>	<u>Y45.3</u>	Australia	October 1998		January 2000
Add term & codes	<u>Ophthalmological drug NEC</u>	<u>T49.5</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y56.5</u>	Australia	October 1998		January 2000
Add term & codes	<u>Opioid NEC</u>	<u>T40.2</u>	<u>X42.-</u>	<u>X62.-</u>	<u>Y12.-</u>	<u>Y45.0</u>	Australia	October 1998		January 2000
Add term & codes	<u>Otorhinolaryngological drug NEC</u>	<u>T49.6</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y56.6</u>	Australia	October 1998		January 2000
Add term & codes	<u>Oxazolidinedione</u>	<u>T42.2</u>	<u>X41.-</u>	<u>X61.-</u>	<u>Y11.-</u>	<u>Y46.1</u>	Australia	October 1998		January 2000