中西医结合治疗

Integrated traditional Chinese and western medicine treatment





新冠1号2号中药制剂推广使用,取得良好成效。

Promoting the COVID-19 NO.1 and NO.2 TCM (Traditional Chinese Medicine) preparations, achieving good effects.

目前,90例(危)重症患者已治愈或转为轻症。

Now 90 (critical)severe cases have been cured of disease or developed into mild cases.

流程再造

Process reconstruction

制定9大类50个流程再造指南,设置医务人员、普通病人、发热病人"三通道"。


We have formulated 50 process reconstruction guidelines of 9 categories, setting up "three pathways" for medical staff, non-fever patients and fever patients respectively.











WHO visiting standardized fever clinic at the community health care center in Shuangliu District.





案例

四川大学华西医院3月3日报告凉山州新冠肺炎患者筛查流程图

21:00 患儿因脑积水,一家3口从凉山州至华西医院急诊科就诊。

患儿母亲在第二住院 大楼10楼神经外科病 区陪伴患儿就医

08:00,患儿母 亲额温37.5℃、 腋温38℃

3月4日凌晨患儿母 亲两次咽拭子阳性

2月29日

3月1日

3月2日

3月3日

3月4日

急诊预检筛查

体温监测: 3人均

正常

流行病学史:否认

入院预检筛查

体温监测: 患儿及其母亲均正常

流行病学史: 否

认

病房每日例 行筛查

体温监测:患 儿及其母亲 均正常 发现异 常立即 送至发 热门诊 立即启动:应急处置

预案

立即隔离: 患儿母亲、

患儿、患儿父亲收入

隔离病房治疗观察

立即梳理:密切接触

人员集中隔离

21



Screening process of the COVID-19 case from Liangshan Prefecture reported on March 3 by West China Hospital, Sichuan University

21:00 A family of three went from Liangshan Prefecture to the Emergency Department of West China Hospital to seek for medical assistance for the child with hydrocephalus

The mother accompanied the child at the Neurosurgery Department on the 10th Floor of the Second Inpatient Building

08:00 the mother's f o r e h e a d temperature was 37.5°C, and armpit temperature 38°C

The mother tested positive for two throat swab tests on the morning of Mar. 4

Feb. 29

Emergency triage screening:

Temperature monitoring: all normal for three

Epidemiological history: denial

Mar. 1

Screening upon admission:

Temperature monitoring: both normal for the child and mother

Epidemiological history: denial

Mar. 2

Daily routine screening in ward:

Temperature monitoring: both normal for the child and mother

Mar. 3

Transfer the case to the Fever Clinic immediately when there is abnormality

Mar. 4


Immediate launch:
emergency response
Immediate isolation: admitted
the mother, child and father
into the isolation wards for
treatment and observation
Immediate follow-up: close
contacts were isolated in
concentrated place

医疗物资保障 Medical material guarantee

口罩日生产能力由疫情初期的40万只提升到720万只。

The daily production capacity of mask has been improved from 400,000 units in the beginning of the epidemic outbreak to 7.2 million units now.






科技攻关 Scientific research









- 设立17项科技攻关应急项目
- 国家审批的10个核酸检测试剂盒中四川有2个
- 蛋白重组疫苗动物试验显示良好效果

- Established 17 emergency response scientific and technological research projects
- 2 of the 10 approved nuclei acid testing kits are from Sichuan
- recombinant protein vaccine shows good effect in animal experiment




第三 Part Ⅲ

实施分区分级差异化防控,建立与疫情防控相适应的经济社会运行秩序

Implement a region-specific, multi-level and differentiated approach to epidemic prevention and control, and make sure that economy and society run in tandem with the epidemic prevention and control measures

四川省分区分级精准防控进程

The progression of a region-specific, multi-level and targeted approach to epidemic prevention and control in Sichuan Province



出台防控指南100条

Introduced 100 prevention and control guidelines

国家"三个风险区"科学衔接 Scientifically adapted the "four differentiated regions" of Sichuan Province to the "three

risk regions" of the country

修订出台防控指南(第 二版)

Revised and issued the prevention and control guidelines(second edition)